



BP street light Datasheet



LED street light is a new type of LED lighting source. Compared with traditional floodlights, products developed on the basis of traditional floodlights have high thermal conductivity, low light decay, pure light, and no ghosting. Energy saving, environmental protection, long service life, etc.

Key Features

1. Main structure made by die-casting aluminum, and anti-corrosion treatment on surface.
2. no mercury, no UV, no radiation, the human eye is more conducive to environmental protection and health.
3. Imported PHILIPS 3030 LED chips, high CRI >80.
4. 60% energy saving than the traditional street lamps.

Applications

Road, highway, street, garden, square




Details Picture




Light Distribution Curve



BP street light Datasheet




Dimension (unit: mm)




20W

BP street light Datasheet




30W



50W



BP street light Datasheet



100W

Specification

SKU	ASNS-20W-BQ	ASNS-30W-BQ	ASNS-50W-BQ	ASNS-100W-BQ
Power	20W	30W	50W	100W
Lumens	2000LM	3000LM	5000LM	10000LM
LED Quantity	20PCS	30PCS	50PCS	100PCS
Input Voltage	AC100-240V			
CCT	2700K-6500K			
CRI	80			
Luminous efficiency	100lm/w			
LED Model	SMD3030			
Housing color	Gray			
Material	ADC12/PC			
Collision protection level	IK08			
IP grade	IP65			
Beam Angle	70°*140°			
pole diameter	Φ 40mm	Φ 40mm	Φ 40mm	Φ 60mm



BP street light Datasheet

Packing Information

Model No.	Carton Size	QTY	G.W./CTN	Weight
ASNS-20W-BQ	L560*W320*H350mm	20	14.3KG	0.6KG
ASNS-30W-BQ	L560*W320*H350mm	20	15.5KG	0.7KG
ASNS-50W-BQ	L320*W320*H430mm	10	11.5KG	1.0KG
ASNS-100W-BQ	L395*W300*H560mm	8	16KG	1.8KG